Ĺ	Hits	Search Text	DB	Time stamp
Number	111.02		DB	
1	1	("6209026").PN.	USPAT	2004/03/17
2	1	(("6209026").PN.) and (terminal communicat\$5 transmit\$5 transceiver)	USPAT	17:43 2004/03/17 17:45
3	666	(gps same (email messages)) and (terminal tranceiver)	USPAT	2004/03/17 17:46
4	8	(gps same (email messages)) and tranceiver	USPAT	2004/03/17 17:46
5	796	(positioning adj information).ab.	USPAT; JPO; DERWENT	2004/03/17
6	11	((positioning adj information).ab.) and seiko.as.	USPAT; JPO; DERWENT	2004/03/17 18:12
-	168	(transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/05/28
-	53	<pre>((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/05/28
_	53	<pre>(((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28
	4	<pre>((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 13:45
-	3	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 09:36
-	2	((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)) and terminal) and transmit and receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 09:37
-	2	<pre>((((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)) and terminal) and transmit and receiver) and coordinate</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28
-	0	<pre>(((((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)) and terminal) and transmit and receiver) and coordinate) and (route or guidance)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 09:39

- 0	<pre>((((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)) and terminal) and transmit and receiver) and coordinate) and (specify\$4 with (place or location))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 09:40
2	(((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)) and terminal) and transmit and receiver) and coordinate) and specify\$4	USPAT	2002/05/28
0	((((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)) and terminal) and transmit and receiver) and coordinate) and specify\$4) and (map adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 09:41
2	((((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)) and terminal) and transmit and receiver) and coordinate) and specify\$4) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 09:41
0	<pre>(((((((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)) and terminal) and transmit and receiver) and coordinate) and specify\$4) and server)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 09:42
_ 1	and ((data adj storage) with transmit\$4) (((((((((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map with display)) and terminal) and transmit and receiver) and coordinate) and specify\$4) and server) and (data adj storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 09:42
- 15	<pre>((((transmit\$5 same receiv\$4 same (email or (electronic adj mail))) and (text with input)) and (extract\$4 and (character or string))) and (add\$4 information or data)) and (text with display) and (map)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/05/28 16:31
- 3136	transmit\$5 same receiv\$4 same (email or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/05/29 13:16
_ 257	transmit\$5 same receiv\$4 same (email or (electronic adj mail)) and map	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/29 13:19
- 236	<pre>transmit\$5 same receiv\$4 same (email or (electronic adj mail)) and (map not bitmap)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/05/29 13:20

Page 2

-	230	transmit\$5 same receiv\$4 same (email or (electronic adj mail)) and map not bitmap not bit-map	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/05/29 13:21
-	178	transmit\$5 same receiv\$4 same (email or (electronic adj mail)) and map not bitmap not bit-map and location	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/05/29 13:25
-	137298	map not bitmap not bit-map	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/05/29 13:26
-	11148	(map not bitmap not bit-map) and input and text and (display or output)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/23 18:06
-	6469	((map not bitmap not bit-map) and input and text and (display or output)) and (email or electronic or mail)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/05/29 13:28
-	6018	<pre>(((map not bitmap not bit-map) and input and text and (display or output)) and (email or electronic or mail)) and (address or location)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/05/29 13:29
-	603	<pre>((((map not bitmap not bit-map) and input and text and (display or output)) and (email or electronic or mail)) and (address or location)) and (specif\$5 with place)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/05/29 13:31
-	141	(((((map not bitmap not bit-map) and input and text and (display or output)) and (email or electronic or mail)) and (address or location)) and (specif\$5 with	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/05/29 17:27
-	1	place)) and navigation "4926336".PN.	IBM_TDB USPAT	2002/05/29
-	1	("5559707").PN.	USPAT	2003/07/23
-	0	(("5559707").PN.) and (email or (electronic adj mail))	USPAT	2003/07/23 18:06
-	1	(("5559707").PN.) and (text same input)	USPAT	2002/05/29 17:29
-	0	and (character with string)	USPAT	2002/05/29
_	0	<pre>((("5559707").PN.) and (text same input)) and (character or string) ((("5559707").PN.) and (text same input))</pre>	USPAT USPAT	2002/05/29 17:29 2002/05/29
_	1	and extract\$4 (((("5559707").PN.) and (text same	USPAT	17:30 2002/05/29
	1	input)) and extract\$4) and (output or display) ((((("5559707").PN.) and (text same	USPAT	17:30 2002/05/29
		input)) and extract\$4) and (cutput or display)) and map	USFAI	17:30
_	1	((((("5559707").PN.) and (text same input)) and extract\$4) and (output or	USPAT	2002/05/29 17:30
_	1	display)) and map) and terminal ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and	USPAT	2002/05/29 17:31
	0	<pre>(transmit\$5 or receiv\$4) ((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or display)) and map) and terminal) and</pre>	USPAT	2002/05/29 17:31
L		(transmit\$5 or receiv\$4)) and mail	<u> </u>	

				_
-	1	((((((("5559707").PN.) and (text same input)) and extract\$4) and (output or	USPAT	2002/05/29 17:32
		display)) and map) and terminal) and		1,132
	1	(transmit\$5 or receiv\$4)) and route (((((((("5559707").PN.) and (text same	USPAT	2002/05/29
-	1	input)) and extract\$4) and (output or	USPAI	17:32
		display)) and map) and terminal) and		
		<pre>(transmit\$5 or receiv\$4)) and route) and coordinate</pre>	·	
_	1	((((((((("5559707").PN.) and (text same	USPAT	2002/05/31
		input)) and extract\$4) and (output or		12:46
		display)) and map) and terminal) and (transmit\$5 or receiv\$4)) and route) and		
		coordinate) and add\$4		
-	1	("6278938").PN.	USPAT	2002/05/31 12:47
_	1	("5930474").PN.	USPAT	2002/05/31
	_			12:47
-	1	("5559707").PN.	USPAT	2002/06/05 10:00
-	1	(("5559707").PN.) and route	USPAT	2002/06/05
	0	(("5559707").PN.) and (route with	USPAT	10:01 2002/06/05
-		guidance)	UDIAI	10:01
-	0	(("5559707").PN.) and (route with email)	USPAT	2002/06/05 10:02
_	0	(("5559707").PN.) and (route same email)	USPAT	2002/06/05
_	1	(("5559707").PN.) and (route same guid\$5)	USPAT	10:02 2002/06/05
				10:05
_	31	(route same guid\$5) and email	USPAT; US-PGPUB;	2002/06/05
			EPO; JPO;	10.09
			DERWENT;	
_	1089	((route same guid\$5) or map) and email	IBM_TDB USPAT;	2002/06/05
		((US-PGPUB;	10:19
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	144	(((route same guid\$5) or map) and email) and @py<=1999	USPAT; US-PGPUB;	2002/06/05
		and epy(-1333	EPO; JPO;	10.20
			DERWENT;	
_	31	(route same guid\$5) and email	IBM_TDB USPAT;	2002/06/05
			US-PGPUB;	10:20
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	((route same guid\$5) and email) and @py<=1999	USPAT; US-PGPUB;	2002/06/05
		(P) (1333	EPO; JPO;	
			DERWENT;	
_	9167	route with guid\$5	IBM_TDB USPAT;	2002/06/05
			US-PGPUB;	10:27
			EPO; JPO; DERWENT;	
			IBM_TDB	0000 405 405
-	27474	(electronic adj mail) or email or e-mail	USPAT; US-PGPUB;	2002/06/05
			EPO; JPO;	=
			DERWENT; IBM TDB	
-	142832	map	USPAT;	2002/06/05
			US-PGPUB;	10:27
			EPO; JPO; DERWENT;	
			IBM TDB	

-	102	<pre>(route with guid\$5) and ((electronic adj mail) or email or e-mail)</pre>	USPAT; US-PGPUB; EPO; JPO;	2002/06/05 10:30
			DERWENT; IBM_TDB	
-	5	<pre>(route with guid\$5) same ((electronic adj mail) or email or e-mail)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/06/05
-	76	<pre>map and ((route with guid\$5) and ((electronic adj mail) or email or e-mail))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/06/05 10:30
-	1	("5559707").PN.	IBM_TDB USPAT	2003/07/23
_	0	(("5559707").PN.) and email	USPAT	18:06 2002/06/05
-	1	(("5559707").PN.) and electronic	USPAT	15:15 2002/06/05 15:16
_	1	("5664126").PN.	USPAT	2002/06/05 15:25
-	1	(("5664126").PN.) and (text with input)	USPAT	2002/06/05 15:26
-	1	(("5664126").PN.) and text	USPAT	2002/06/05 15:26
_	1	(("5559707").PN.) and coordinate	USPAT	2002/06/05 16:08
-	0	(("5559707").PN.) and (("5664126").PN.)	USPAT	2002/06/05 16:09
-	7	(1or (("5664126").PN.)) and server	USPAT	2002/06/05
_	1	server and (("5559707").PN.)	USPAT	2002/06/05
_	1	server and (("5664126").PN.)	USPAT	2002/06/05 16:10 2002/06/05
_	5	(US-5664126-\$ or US-6138149-\$ or US-6278938-\$ or US-5559707-\$).did. or (US-20010037305-\$).did.	USPAT; US-PGPUB	16:22
-	1	((US-5664126-\$ or US-6138149-\$ or US-6278938-\$ or US-5559707-\$).did. or (US-20010037305-\$).did.) and (storage	USPAT; US-PGPUB	2002/06/05 16:21
-	1	US-6278938-\$ or US-5559707-\$).did. or (US-20010037305-\$).did.) and (storage	USPAT; US-PGPUB	2002/06/05 16:23
-	1	same transmitter) ((US-5664126-\$ or US-6138149-\$ or US-6278938-\$ or US-5559707-\$).did. or (US-20010037305-\$).did.) and (storage and	USPAT; US-PGPUB	2002/06/05 16:23
-	5	transmitter) (US-6138149-\$ or US-5664126-\$ or US-5559707-\$ or US-6278938-\$).did. or (US-20010037305-\$).did.	USPAT; US-PGPUB	2002/11/21 17:37
-	o	1 '	USPAT	2002/11/21 16:41
_	1	(US-5664126-\$).did.	USPAT	2002/11/21 16:42
_	1	((US-5664126-\$).did.) and text	USPAT; US-PGPUB	2002/11/21 16:44
_	4	US-5559707-\$ or US-6278938-\$).did. or	USPAT; US-PGPUB	2002/11/21 16:44
-	1	(US-20010037305-\$).did.) and mail (US-5559707-\$).did.	USPAT	2002/11/21
_	1	((US-5559707-\$).did.) and (mail or transmit or extract)	USPAT; US-PGPUB	2002/11/21 17:38
-	1	(US-5664126-\$).did.	USPAT	2002/12/03 13:29

			_	
_	454	((e\$1mail or (electronic adj mail)) and map and navigation) and (navigation or	USPAT	2002/12/03 13:32
-	454	navigating or maps or waypoints) (((e\$lmail or (electronic adj mail)) and map and navigation) and (navigation or	USPAT	2002/12/03 13:32
_	1	navigating or maps or waypoints)) (((US-5664126-\$).did.) and (navigation or	USPAT	2002/12/03
-	13	navigating or maps or waypoints)) (navigation or navigating or maps) and waypoint and ((electronic adj mail) or	USPAT	13:36 2002/12/03 13:38
_	3	e\$lmail) ((navigation or navigating or maps) and	USPAT	2002/12/03
	1	<pre>waypoint and ((electronic adj mail) or e\$1mail)) and @ad<=19980729 ("5930474").PN.</pre>	USPAT	13:38 2002/12/03
	1	(US-5664126-\$).did.	USPAT	13:52 2002/12/03
_	1	((US-5664126-\$).did.) and extract\$4	USPAT	16:30 2002/12/03
	7	(US-6138149-\$ or US-5664126-\$ or	USPAT;	16:30 2002/12/03
_	,	US-5559707-\$ or US-6278938-\$ or US-6013007-\$ or US-6266614-\$).did. or (US-20010037305-\$).did.	US-PGPUB	16:31
-	3	((US-6138149-\$ or US-5664126-\$ or US-5559707-\$ or US-6278938-\$ or US-6013007-\$ or US-6266614-\$).did. or	USPAT	2002/12/04 16:32
-	1	(US-20010037305-\$).did.) and extract\$4 (US-5559707-\$).did.	USPAT	2002/12/03
-	0	((US-5559707-\$).did.) and (e\$1mail or (electronic adj mail))	USPAT	2002/12/03
-	1	("5930474").PN.	USPAT	2002/12/04 16:33
-	1	(("5930474").PN.) and (search and email)	USPAT	2002/12/04 16:49
-	1	(("5930474").PN.) and (map)	USPAT	2002/12/04 16:49
_	7	(US-5664126-\$ or US-6138149-\$ or US-5559707-\$ or US-6278938-\$ or US-6266614-\$ or US-6013007-\$).did. or (US-20010037305-\$).did.	USPAT; US-PGPUB	2003/07/01
_	0	1 7	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/01 15:58
-	267827	gps and @ad<=19980729	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/01 16:58
_	6398	(global adj positioning adj system) and @ad<=19980729	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/01 17:04
-	2060	((global adj positioning adj system) and @ad<=19980729) and map	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/01
-	1581	(((global adj positioning adj system) and @ad<=19980729) and map) and (vehicle or car or automobile)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/01 17:07
-	73	((((global adj positioning adj system) and @ad<=19980729) and map) and (vehicle or car or automobile)) and waypoints	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/01

and @ad<=19980729) and map) and (vehicle or car or automobile)) and waypoints) and EPO; JPO; DERWENT; IBM_TDB 42 ((((global adj positioning adj system) usPAT; us-PGPUB; and @ad<=19980729) and map) and (vehicle or car or automobile)) and e\$1mail EPO; JPO; DERWENT; IBM_TDB DERWENT; IBM_TDB (((((global adj positioning adj system) usPAT; 200))	003/07/01 7:08 003/07/01 7:10 003/07/01 7:10
- 42 ((((global adj positioning adj system) and @ad<=19980729) and map) and (vehicle or car or automobile)) and e\$1mail EPO; JPO; DERWENT; IBM_TDB - 39 (((((global adj positioning adj system) and @ad<=19980729) and map) and (vehicle or car or automobile)) and e\$1mail) and EPO; JPO; @ad<=19980605 IBM_TDB USPAT; US-PGPUB; 17: 0.000	0:10 003/07/01 7:10
- 42 ((((global adj positioning adj system) and @ad<=19980729) and map) and (vehicle or car or automobile)) and e\$1mail EPO; JPO; DERWENT; IBM_TDB USPAT; 200 and @ad<=19980729) and map) and (vehicle or car or automobile)) and e\$1mail) and EPO; JPO; @ad<=19980605	0:10 003/07/01 7:10
- 39 (((((global adj positioning adj system) uSPĀT; 200 and @ad<=19980729) and map) and (vehicle uS-PGPUB; or car or automobile)) and e\$1mail) and EPO; JPO; DERWENT;	7:10
I I I I I I I I I I I I I I I I I I I	100/07/01
- 1 ((global adj positioning adj system) and USPAT; 200	003/07/01 7:28
- 6 ((global adj positioning adj system) and USPAT; 200	003/07/01 7:28
- 479 (gps navigation) with e\$1mail USPAT; 200	004/03/12 1:41
- 479 ((gps navigation) with e\$1mail) USPAT; 200	004/03/12 1:41
- 12 ((gps navigation) with e\$1mail) and USPAT; 200	004/03/12 3:30
- 11 ((gps navigation) same e\$1mail) and USPAT; 20	004/03/12 3:32
- 27 (gps and e\$1mail) and extract\$4 and USPAT; 20	004/03/12 3:33
- 2295 (gps and messag\$4) and @ad<=19970731 USPAT; 20	004/03/12 3:34
- 514 (gps with messag\$4) and @ad<=19970731 USPAT; 20	004/03/12 3:39
- 142 ((gps with messag\$4) and @ad<=19970731) USPAT; 20	004/03/12 3:52
- 4 ((gps with messag\$4) and @ad<=19970731) USPAT; 20	004/03/12 3:51

-	90	((gps with messag\$4) and @ad<=19970731)	USPAT;	2004/03/12
		and extract\$4 and vehicle	US-PGPUB;	13:53
			EPO; JPO;	
	İ		DERWENT;	
1			IBM TDB	
_	21	((gps with messag\$4) and @ad<=19970731)	USPAT;	2004/03/12
1		and (extract\$4 with messag\$4) and vehicle	US-PGPUB;	13:54
		· -	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	(US-6060996-\$ or US-6138149-\$ or	USPAT;	2004/03/17
		US-5664126-\$ or US-5900825-\$ or	US-PGPUB	15:28
		US-6028537-\$ or US-5559707-\$ or		
		US-6278938-\$ or US-6266614-\$ or	1	
		US-6013007-\$ or US-6457129-\$).did. or		
		(US-20010037305-\$ or		
1	ļ	US-20020044067-\$).did.		
-	8	((USPAT	2004/03/17
		US-5664126-\$ or US-5900825-\$ or		17:43
		US-6028537-\$ or US-5559707-\$ or		
		US-6278938-\$ or US-6266614-\$ or		İ
		US-6013007-\$ or US-6457129-\$).did. or		
	ļ	(US-20010037305-\$ or		
		US-20020044067-\$).did.) and coordinate		0004/02/17
-	10		USPAT	2004/03/17
		US-5664126-\$ or US-5900825-\$ or		16:04
		US-6028537-\$ or US-5559707-\$ or	İ	
-		US-6278938-\$ or US-6266614-\$ or		
		US-6013007-\$ or US-6457129-\$).did. or	1	
		(US-20010037305-\$ or		
		US-20020044067-\$).did.) and transmit\$4	<u> </u>	<u></u>